

## Radial Lead Resettable Polymer PTCs


### SC600-500SZ0D

#### Features

- ◆ Radial leaded devices
- ◆ Over-current protection
- ◆ High voltage surge capabilities
- ◆ Flame retardant epoxy polymer insulating material meets UL94 V-0 requirement
- ◆ Available in lead-free version
- ◆ Meets MSL level 1, per J-STD-020
- ◆ Relative Humidity:  $\leq 80\%RH$
- ◆ Operation Current: 0.50A, Maximum Voltage: 400Vdc, Operating Temperature:  $-40^{\circ}C$  to  $+85^{\circ}C$

#### Applications

- ◆ IT equipment
- ◆ Access network equipment
- ◆ Central office equipment
- ◆ ISDN and xDSL equipments
- ◆ Phone set and fax machine
- ◆ LAN/WAN and VOIP cards



#### Electrical Parameters

Part Number	$I_{hold}$ (A)	$I_{trip}$ (A)	$V_{max}$ (Vdc)	$I_{max}$ (A)	$P_{dtyp}$ (W)	Maximum Time To Trip		Resistance	
						Current (A)	Time (S)	$R_{min}$ ( $\Omega$ )	$R1_{max}$ ( $\Omega$ )
SC600-500SZ0D	0.50	1.00	400	3.0	1.5	2.50	15.0	0.6	1.5

$I_{hold}$  = Hold current: maximum current at which the device will not trip at  $25^{\circ}C$  still air.

$I_{trip}$  = Trip current: minimum current at which the device will always trip at  $25^{\circ}C$  still air.

$V_{max}$  = Maximum voltage device can withstand without damage at rated current.

$I_{max}$  = Maximum fault current device can withstand without damage at rated voltage.

$T_{trip}$  = Maximum time to trip(s) at assigned current.

$P_{dtyp}$  = Typical power dissipation: typical amount of power dissipated by the device when in state air environment.

$R_{min}$  = Minimum device resistance at  $25^{\circ}C$  prior to tripping.

$R_{max}$  = Maximum device resistance at  $25^{\circ}C$  prior to tripping.

$R1_{max}$  = Maximum resistance of device at  $25^{\circ}C$  measured one hour after tripping.

Caution: Operation beyond the specified rating may result in damage and possible arcing and flame.


#### Temperature Derating Chart - $I_{hold}$ (A)

Ambient Operation Temperature	$-40^{\circ}C$	$-20^{\circ}C$	$0^{\circ}C$	$23^{\circ}C$	$30^{\circ}C$	$40^{\circ}C$	$50^{\circ}C$	$60^{\circ}C$	$70^{\circ}C$	$85^{\circ}C$
Percentage Reduction	145%	130%	120%	100%	95%	88%	80%	71%	66%	56%

# Radial Lead Resettable Polymer PTCs

## SC600-500SZ0D


### Temperature Derating Curve



### Test Procedures and Requirement

Test	Test Conditions	Accept/Reject Criteria
Resistance	In still air @ $25 \pm 2^\circ\text{C}$	$R_{\min} \leq R \leq R_{\max}$
Hold Current	60 min, at $I_{\text{hold}}$ , In still air @ $25 \pm 2^\circ\text{C}$	No trip
Time to Trip	Specified current, $V_{\max}$ , @ $25 \pm 2^\circ\text{C}$	$T \leq \text{Maximum Time To Trip}$
Trip Cycle Life	$V_{\max}$ , $I_{\max}$ , 100 cycles	No arcing or burning
Trip Endurance	$V_{\max}$ , 24 hours	No arcing or burning

### Soldering Parameters



<b>Pre-Heating Zone</b>	Refer to the condition recommended by the manufacturer. Max. ramping rate should not exceed $4^\circ\text{C}/\text{Sec}$
<b>Soldering Zone</b>	Max. solder temperature should not exceed $260^\circ\text{C}$
<b>Cooling Zone</b>	Cooling by natural convection in air


# Radial Lead Resettable Polymer PTCs

## SC600-500SZ0D

### Physical Specifications


<b>Lead Material</b>	0.03-1.85A Tin-plated Copper clad steel 2.50-5.00A Tin-plated Copper
<b>Soldering Characteristics</b>	Solder ability per MIL-STD-202, Method 208E
<b>Insulating Material</b>	Cured, flame retardant epoxy polymer meets UL 94V-0 requirements.
<b>Device Labeling</b>	Marked with 'SC', voltage, current rating

### Typical Time-To-Trip at 25°C ± 2°C



Note: L=SC600-500SZ0D

### Dimensions



Part Number	Dimensions (mm)						Lead Material
	A (Max)	B (Max)	C (Typ)	D (Min)	E (Max)	F (Typ)	Tinned Metal (mm)
SC600-500SZ0D	20.5	32.0	10.2	7.6	6.5	/	Φ0.78

### Packaging Quantity

Part Number	Quantity (pcs/reel)
SC600-500SZ0D	100